

SPECIAL PACKAGING INSTRUCTION				Form Approved OMB No. 0704-0188		-BK JN	
<p>The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.</p>							
1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 2923483 (11083) AWD GEAR R.H.				2. CAGE 19207		3. SPI NO. AK15782320	
4. NATIONAL STOCK NO. 3010-01-578-2320				5. DATE 01/13/2011		6. REVISION	
7. QUP 1 EACH		8. ICQ NONE		9. UNIT PACK WT (LB.) 717.0		10. UNIT PACK CU (CU. FT.) 12.218	
						11. UNIT PACK SIZE (INCHES) 29.0 X 26.0 X 28.0	
12. MILITARY PRESERVATION MIL-STD-2073-1D, METHOD 20				18. STEPS		19. REQD	
						20. DESCRIPTION	
13. CLEANING MIL-STD-2073-1D & NOTE B				1-C		PRESERVATIVE:MIL-PRF-16173, GRADE 4	
				2-D		PRESERVATIVE: MIL-PRF-32033	
14. DRYING MIL-STD-2073-1D & NOTE B				3-E		CAPS/PLUGS: NAS-847	
				4-F		2	
						BARRIER: MIL-PRF-121, TYPE II,	
15. PACKING						SIZE: 36 X 36 AND 6 X 18	
				5-G		7	
a. LEVEL A MIL-STD-2073-1D & NOTE I				6-H		1	
						BLOCKING AND BRACING: ASTM-D6199	
						CONTAINER: ASTM-D6880, CLASS 2, STYLE 2,	
						MODIFIED, SIZE: 24-1/2 X 24-1/2 X 22-1/4	
b. LEVEL B NOT APPLICABLE							
16. MARKING MIL-STD-129 & NOTE J							
17. NOTES/DRAWING							
<p>A. PRESERVATION AND PACKING SHALL BE INSPECTED IN ACCORDANCE WITH MIL-STD-2073-1D AND ANY APPLICABLE CONTAINER SPECIFICATIONS.</p> <p>B. CLEAN AND DRY ITEM BY ANY SUITABLE PROCESS BEFORE APPLICATION OF PRESERVATIVE AND PACKAGING MATERIALS.</p> <p>C. PRESERVATIVE: APPLY PRESERVATIVE TO ALL UNPAINTED, UNPLATED EXTERNAL METALLIC SURFACES.</p> <p>D. PRESERVATIVE: SLUSH, FLUSH, OR FOG INTERNALLY. DRAIN EXCESS PRESERVATIVE.</p> <p>E. CAPS/PLUGS: SEAL ALL OPENINGS TO INTERIOR OF PUMP USING CAPS/PLUGS OF APPROPRIATE SIZE.</p> <p>F. BARRIER: LINE BASE OF CONTAINER WITH 36" X 36" PAPER AND COVER HOLD DOWN BLOCKING ITEMS "C" AND "D" WITH 6" X 18" PAPER(SEE PAGE 4).</p> <p>G. SEE PAGES 2 THROUGH 4.</p> <p>H. MODIFIED: MODIFY CONTAINER TO ALLOW FOR 2X LUMBER DECKING AND 2X LUMBER CLEATING ON END PANELS(SEE DRAWING ON PAGE 2 AND 3). FOLLOW ASTM-D6880 CONTAINER SPECIFICATION FOR RECLOSABLE TOP PANEL.</p> <p>I. THE UNIT CONTAINER IS THE SHIPPING CONTAINER.</p> <p>J. IN ADDITION TO MIL-STD-129 MARKINGS, THE UNIT CONTAINER SHALL BE MARKED ON THE TOP AND ONE SIDE WITH MINIMUM ½ INCH HIGH BLACK LETTERS "REUSABLE CONTAINER, DO NOT DESTROY". IN ADDITION THE TOP SHALL BE MARKED "REMOVE (LAG BOLTS OR SCREWS) TO OPEN CONTAINER", USING MINIMUM ½ INCH HIGH BLACK LETTERS.</p>							

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved -BK
OMB No. 0704-0188 JN

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

2923483 (11083) AWD GEAR R.H.

2. CAGE

19207

3. SPI NO.

AK15782320

4. NATIONAL STOCK NO.

3010-01-578-2320

5. DATE

01/13/2011

6. REVISION

- K. ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. BOXES, PALLETS, DUNNAGE AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT-TREATED. THE BOX, PALLET AND DUNNAGE MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX, PALLET AND DUNNAGE MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEABILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. ALL NON-MANUFACTURED WOOD PRODUCTS USED FOR SHIPMENT TO OCONUS LOCATIONS MUST CONFORM WITH THE INTERNATIONAL PLANT PROTECTION CONVENTION (IPPC) INTERNATIONAL PHYTOSANITARY MEASURE-15 (ISPM-15).

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved -BK
OMB No. 0704-0188 JN

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

2923483 (11083) AWD GEAR R.H.

2. CAGE

19207

3. SPI NO.

AK15782320

4. NATIONAL STOCK NO.


3010-01-578-2320

5. DATE

01/13/2011

6. REVISION

ITEM "C" NESTLES
BETWEEN PIVOT
POINTS AND ITEM "D"
RESTS ON TOP OF
PIVOT POINTS



SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JN**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

2923483 (11083) AWD GEAR R.H.

2. CAGE

19207

3. SPI NO.


AK15782320

4. NATIONAL STOCK NO.

3010-01-578-2320

5. DATE

01/13/2011

6. REVISION**BASE (TOP VIEW)****ITEM****SIZE****QTY****ADDITIONAL NOTES:**

A 4 X 4 X 24-1/2

2

SEE ABOVE

B 4 X 4 X 17-1/2

2

SEE ABOVE

C 1 X 6 X 11-3/4

1

SEE PAGE 4

D 2 X 6 X 24-1/2

1

SEE PAGE 4

E 2 X 6 X 21-1/2

1

SEE PAGE 4

NOTES: ALL LUMBER SIZES ARE NOMINAL UNLESS OTHERWISE SPECIFIED AND IAW ASTM-D6199..

SECURE BLOCKING TO THE BASE USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved -BK
OMB No. 0704-0188 JN

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

2923483 (11083) AWD GEAR R.H.

2. CAGE

19207

3. SPI NO.


AK15782320

4. NATIONAL STOCK NO.

3010-01-578-2320

5. DATE

01/13/2011

6. REVISION**TOP PANEL WITH BLOCKING (BOTTOM VIEW)****NOTE:** SECURE BLOCKING TO TOP PANEL USING NAILS/STAPLES CONFORMING TO ASTM-F1667.